

Amendments to the Claims:

Please amend Claims 55, 92 and 93 as set forth below.

1-48. Canceled

49. (Previously presented) A pharmaceutical combined preparation comprising:
(a) pipamperone in a dose ranging between 5 and 15 mg of the active ingredient,
and

(b) a dopamine receptor agonist, chosen from the group consisting of pergolide, amantadine, bromocriptine, cabergoline lisuride, ropinirole and pramipexole, as a combined preparation for simultaneous use for treating Parkinson Disease.

50. (Previously presented) A pharmaceutical combined preparation comprising:
(a) pipamperone in a dose ranging between 5 to 15 mg of the active ingredient,
and

(b) pergolide in a dose ranging between 0.5 and 10 mg of the active ingredient, as a combined preparation for simultaneous use for treating Parkinson Disease.

51-53. (Canceled)

54. (Previously presented) A pharmaceutical combined preparation comprising:
(a) pipamperone in a dose ranging between 5 and 15 mg of the active ingredient,
and

(b) a levodopa associated with carbidopa, as a combined preparation for simultaneous use for treating Parkinson Disease.

Applicant: Erik Buntinx
Serial No.: 10/803,793
Filed: March 18, 2004
page 3 of 13

55. (Currently amended) A pharmaceutical combined preparation comprising:

(a) pipamperone in a dose ranging between 5 and 15 mg of the active ingredient,
and

(b) levodopa/carbidopa ~~and is administered~~ in a dose ranging between 2000 mg/
200 mg and 100 mg/ 10 mg of the active ingredients,
as a combined preparation for simultaneous use for treating Parkinson Disease.

56-71. (Canceled)

72. (Previously presented) A pharmaceutical combined preparation comprising:

(a) pipamperone in a dose ranging between 5 and 15 mg of the active ingredient,
and

(b) levodopa associated with benserazide, as a combined preparation for
simultaneous use for treating Parkinson Disease.

73-91. (Canceled)

92. (Currently amended) A pharmaceutical combined preparation comprising

(a) pipamperone in a dose ranging between 5 and 15 mg of the active ingredient,
and

(b) levodopa/carbidopa ~~and is administered~~ in a dose ranging between 1500 mg/
150 mg and 250 mg/ 25 mg of the active ingredients,
as a combined preparation for simultaneous use for treating Parkinson Disease.

Applicant: Erik Buntinx

Serial No.: 10/803,793

Filed: March 18, 2004

page 4 of 13

93. (Currently amended) A pharmaceutical combined preparation comprising
(a) pipamperone in a dose ranging between 5 and 15 mg of the active ingredient,
and
(b) levodopa/carbidopa ~~and is administered~~ in a dose of 500 mg/ 50 mg of the
active ingredients, as a combined preparation for simultaneous use for treating Parkinson
Disease.